

Current Batch Certificate of Analysis

RESEARCH USE ONLY Public batch: PEP260715-5AD

Certificate of Analysis

品 名	Product	A0D9604	批 号	Batch	PEP260715-5AD
CAS	NO.	221231-10-3	数 量	Quantity	5mg
生产日期	Mfg Date	2026-07-15	复检期	Retest Date	2028-07-14
检验日期	Test Date	2026-08-02	标 准	Standard	In house
包装形式	3ML 西林瓶冻干粉包装				
Packaging	3ML vial lyophilized powder				
TestItem	AcceptanceCriteria		TestResult		
检测项目	可接受标准		检验结果		
Appearance	White or off-white powder		white powder		
性状	白色或类白色粉末		白色粉末		
Solubility	Soluble or freely soluble in water		freely soluble in		
溶解度	在水中溶解或易溶		water		
			易溶于水		
Average Molecular					
Weight	1226.61±1.0 Da		1226.63Da		
平均分子量					
Chromatographic	The retention time of the main peak of				
Identification	Sample Solution should be consistent with				
色谱鉴别	that of the Standard solution, as obtained		Meet the requirement		
	in the Assay		符合规定		
	在含量测定项下记录的色谱图中，供试品溶				
	液主峰的保 留时间应与对照品溶液主峰的				
	保留时间一致				
PH	6.0-8.0		7.0		
Clarity and Color of	Clarity: Clear transparent solution,		Colour:		
Solution	free from turbidity, precipitate and		Characteristic bright		
溶液的澄清度与颜色	insoluble particles.		sky blue solution.		
	应澄清无色		符合要求		
Chromatographic	NLT98.0%				
Purity	不小于 98.0%		99.6%		
色谱纯度					
Related Substances	Maximum unknown single impurity NMT 0.5%		0.23%		
有关物质	最大未知单杂不得过 0.5%				
High Molecular					
Weight Proteins	NMT0.8%		0.2%		
高分子蛋白质					
Water Content	NMT 3.0%		0.51%		
水分					

Current Batch Certificate of Analysis

RESEARCH USE ONLY Public batch: PEP260715-5AD

Certificate of Analysis

品 名	Product	A0D9604	批 号	Batch	PEP260715-5AD
CAS	NO.	221231-10-3	数 量	Quantity	5mg
生产日期	Mfg Date	2026-07-15	复检期	Retest Date	2028-07-14
检验日期	Test Date	2026-08-02	标 准	Standard	In house
包装形式	3ML 西林瓶冻干粉包装				
Packaging	3ML vial lyophilized powder				
TestItem	AcceptanceCriteria			TestResult	
检测项目	可接受标准			检验结果	
Heavy Metals 重金属	NMT 10ppm			均未检出 ND	
Residual Solvents	Methanol NMT 3000ppm			33ppm	
	甲醇不得过 3000ppm				
	Acetonitrile NMT 410ppm				
	乙腈不得过 410ppm			124ppm	
	Dichloromethane NMT 600ppm			32ppm	
	二氯甲烷不得过 600ppm				
Microbial Limit	N,N-Dimethylformamide NMT 880ppm			19ppm	
	N,N-二甲基甲酰胺不得过 880ppm				
	Total Aerobic Microbial Count NMT100 cfu/g			Meet the requirement	
微生物限度	需氧菌总数应不得过 100cfu/g			符合要求	
Total bacteria	<1CFU/mg			Meet the requirements	
细菌总数				符合要求	
Peptide Content	95.0%~105.0%(On Anhydrous and Sodium Free)			102.1%	
肽含量	95.0%~105.0%(以无水、无钠离子计)				
Assay	4.75mg~5.25mg			5.11mg	
含量					
Conclusion	Meets specification				
结论					